

# Application of GIS in Developing Digital Elevation Model

Vivek Verma<sup>1</sup>, Ishtiyag Ahmad<sup>2</sup>

<sup>1</sup>B.Tech. Scholar, Dept. of Civil Engineering,SSIPMT Raipur, Raipur (C.G.) – 492010, India

<sup>2</sup>Ph.D. Research Scholar, Dept. of Civil Engineering, NIT Raipur, Raipur (C.G.) – 492010, India

**Abstract** – The distribution of water on earth surface within the natural land surfaces mainly depends upon the geography of the earth surface. The assessment of these processes like surface runoff, stream flow etc. mainly depends upon the geography of the earth surface. Digital Elevation Model (DEM) is a file containing latitude, longitude and elevation of earth surface. Many topographic features can be computed directly from (DEM). Assessment of topography manually is generally tedious, time consuming and often subject to error. In the present paper author has demonstrated the methodology of creating the DEM using two data set contour lines and elevation data using Survey of India topographic sheets in the scale 1:50,000.

**Keywords:** Contour, Elevation, Digital Elevation Model, Geographical Information System, Topography.

## I. INTRODUCTION

Digital file containing the elevation and co-ordinate data of a particular terrain is called Digital Elevation Model (DEM). Generally it is a file containing co-ordinates data “x”, “y” and “z”. In actual conditions “x” and “y” data represents the latitude and longitude and “z” data represents the altitude. Researches over the last few decades established the use of automatic extraction of topographic information from DEM [1]. Various techniques are available to extract hydrological parameter like slope, catchment areas, drainage divides, channel networks and other data [2]. These automated techniques provide more accurate measurements than traditional techniques applied to topographic maps and has the advantage that they can be easily imported and analysed in GIS.

## II. METHODOLOGY

Before proceeding to methodology we should be familiar with following important terms related to DEM:

**Topography:** The term topography Topography originates from the greek word “topos-graphia” means writing about a place. Thus, topography is the study of earth surface shape and features especially in terms of latitude, longitude and altitude [3]. The main use of topography is to determine the position of any features and its detailed and accurate graphical representation.

**Scanning:** The process of converting paper based item for e.g. a topographic map, into a digital format which is usually integrated with GIS [4].

**Georeferencing:** Initially the scanned item in digital format is without any reference. The process of describing the correct location and shape of features – typically by assigning co-ordinates from a known reference system such as latitude / longitude.

**Digitizing:** The process of converting spatial features (point, line & polygon) from a paper based source into a digital format by tracing. This can be done by on-screen digitization.

**Interpolation:**The process of assigning values to unknown points by using values from usually scattered set of known points [4].

## III. PROCESS OF DEVELOPING DEM

A typical layout of the process involved in the preparation of DEM is shown in Fig. 1.




Fig. 1: A flow diagram of creating DEM

Prior to on-screen digitizing, paper maps have to be integrated into the GIS database by converting them into digital format. The process of such conversion is known as scanning. Initially, one of the topographic sheets 64 G-8 having 1:50,000, shown in Fig. 2, procured from Survey of India scanned in the scale 1:1, this topographic sheets acts as the basic data for DEM preparation.




Fig. 2: SOI Toposheet No. 64-G8

The scanned topographic sheet is then added to ArcGIS software. The topographic sheet added is without any spatial reference. Sheet is geo-referenced by giving adding control points and giving a spatial reference. The Survey of India Toposheets is made with the co-ordinate system WGS-1984. One-fourth portion (i.e. right hand bottom corner) of the area of interest has been selected to demonstrate the process for creating DEM.

**A. Digitization and interpolation (using Contour Lines):**

On screen digitization was started and the contour lines available in the topographic sheets were digitized. The contour lines digitized are 300m, 310m and 320m as shown in Fig. 3. Digitization of contour lines was done using ArcGIS

The “Topo to Raster” interpolation method which can be accessed from the “Spatial Analyst Tools” of ArcGIS under “Interpolation”. The digitized contour lines shown in Fig. 3 were used as input. This method allows interpolating the digitized contour lines to generate the DEM. The generated DEM is shown in Fig. 4.

**B. Digitization and interpolation (using elevation points)**

On screen digitization was started similarly as in previous step but the difference is that in place of “lines”, “points” were using the base topographic sheet as the elevation points. The elevation points are shown in Fig. 5.

Some of the most common interpolation methods include Inverse Distance Weighted (IDW) interpolation, Spline, & Kriging. These are all available in ArcGIS software [4].

**IDW:** This method is used when the set of points is dense. It estimates the cell value by averaging the values of elevation points in the neighbourhood of each cell [5].

**Spline:** This method estimates the values using a mathematical function that minimizes overall surface curvature, resulting in a smooth surface that passes exactly through the elevation points [5].

**Kriging :** This is an advanced procedure that generates an estimated surface from a scattered set of points with elevations points and involves investigation of the spatial behavior of the phenomenon represented by the elevation points [6].

In the present paper “Topo to Raster” method of interpolation has been used and DEM generated is shown in Fig. 6.




Fig. 3: Contour Map of Area of Interest




Fig. 4: DEM of Area of Interest using contour lines




Fig. 5: Elevation Points of Area of Interest




Fig. 4: DEM of Area of Interest using elevation Points

IV. RESULT & CONCLUSION

The DEM generated by two methods i.e. DEM by contour lines and DEM by elevation points has been shown in Fig. 4 and Fig. 6 respectively. Fig. 7 and Fig. 8 give the statistical histogram for the DEM generated with contour lines and elevation points respectively. The standard deviation has been compared for these two DEM in Table 1.

	<b>Lines</b>	<b>points</b>
<b>Min</b>	298.40	299.40
<b>Max</b>	320.28	320.29
<b>Mean</b>	308.99	308.59
<b>Std. Deviation</b>	3.86	3.68




Fig. 7: Histogram for DEM generated from Contour Lines




Fig. 8: Histogram for DEM generated from Elevation Points

TABLE I  
 STATISTICAL COMPARISON BETWEEN DEM'S

Statistics	DEM	
	By Contour	By Elevation
Min	298.40	299.40
Max	320.28	320.29
Mean	308.99	308.59
Std. Deviation	3.86	3.68

From the table it is clear that there is not much difference in the standard deviation of DEM generated by two set of data i.e. contour lines and elevation point of the area of interest. Thus, any set of data as per the availability can be used to create DEM. The DEM generated can be used in number of ways in hydrological analysis. Several topographic features like slope and aspect can also be derived from the DEM. In this paper methods in creating a DEM using contour lines and elevations points digitized from a paper based topographic sheet i.e. were illustrated. There are number of interpolation methods, thus one should carefully select the appropriate method based on the available data and underlying purpose.

REFERENCES

- [1] M. W. Martz and J. Garbrecht, "Channel network Delineation and Watershed Segmentation in TOPAZ Digital Landscape Analysis System", GIS for Water Resources and Watershed Management, CRC Press, pp. 7-16, 2003.
- [2] J. Garbrecht, M. W. Martz and P.J. Starks, "Technological Advances in Automated Land Surface Parameterization from Digital Elevation Models", GIS for Water Resources and Watershed Management, CRC Press, pp. 207-218, 2003.
- [3] <http://www.wikipedia.org/wiki/Topography>.
- [4] Y. Murayama et. al, "Creating a Dem: A GIS Lecure Tutorial", University of Tsukuka, 2011.
- [5] C. Childs, "Interpolating surfaces", ESRI Education Services, [www.esri.com/news/arcuser/0704/files/interpolating.pdf](http://www.esri.com/news/arcuser/0704/files/interpolating.pdf), 2011
- [6] ESRI, "How Kriging works", <http://webhelp.esri.com/arcgisdesktop/9.2/index.cfm?TopicName=How%20Kriging%20works>.